
DS363: Design and Learning with Data

Spring 2023




Module 05 Visualizing Data Lecture 1

Wan Fang

Southern University of Science and Technology

Agenda

- DO and DON'T
 - Learn from good and bad practices
- Interaction
 - DIKW and the user side gap
 - The Cycle of Encoding and Decoding
 - Information-seeking mantra by Ben Shneiderman



DS363: Design and Learning with Data

Spring 2023


DO and DON'T


Wan Fang

Southern University of Science and Technology

[Adapted from ID430B Data Analytics for Designers, KAIST]

Mapping Data to Visual Variables






		 	••••	
Length	Width	Orientation	Size	Shape
	•••	•••••••		
Enclosure	Position	Grouping	Color Hue	Color Intensity


Learn from good and bad practices

Place things to compare side-by-side



Grouped Bar Chart







Stacked Bar Chart


Learn from good and bad practices

Minimize viewer's effort to catch the main signal





BETTER



William Playfair's famous line chart

TAKEAWAY.

- Different analytic tasks might require different chart types for the same data
- Minimize the viewer's effort to catch the main signal


Beware of the common assumption of the chart type

Line chart assumes that data points are evenly distributed



Scatter plot + dimmed line chart

: The line implies the chart focuses on timeline trends. However, missing dots warn "This part of the timeline has no data point."



\mathfrak{S} BAD Missing data points 96 are not visible 100 80 60 40 20 0 1900 1910 1920 1930 1940 1950 1960 2010


Simple line chart

: Line charts imply that the axis is regular (i.e. data points are evenlyspaced). Viewers may have a false assumption for unevenly-spaced time series.

TAKEAWAY.

- Make missing data points visible.
- Beware of the common assumption of the chart type (e.g. line charts look like data points are evenly distributed)
- You can infer missing data points but that's not part of visualization

Avoid overcrowded markers




Learn from good and bad practices

Avoid overcrowded markers

GOOD


BAD



Automatic Log Transformation Comment>0 and Response>0 1000 Chris 0 Rick Robert O Sanjay O 100 Angela Number of Responses WaynetteO 0 John Mark 0 Charu Alison Shelly Lisa Christin Ocharu 🛛 Jim Michele Mike O Tricia Clark Mark O Michele OXan Michelle Daniel 8 Michael 10 lan James Peter Quentin Stefan Peter OPeter Bob O @ O Phil Kriss Faye \odot Most data points are evenly spread Jared jaap ChrisDivyesh Cat (2000 O O Dylan 10 100 Number of Original Comments Θ Log axis might be hard to interpret for some audiences

For large # of distinct items


Pie charts are sensitive to the cardinality (i.e. # of distinct items should not be much larger than six); Also it's not easy to visually compare ratios of items



Learn from good and bad practices


How to visualize Part-to-Whole

For large # of distinct items



Pie charts are sensitive to the cardinality (i.e. # of distinct items should not be much larger than six); Also it's not easy to visually compare ratios of items


GOOD



Bar charts are better with large # of distinct items.

11


When there's no dominant item,



Pie charts are bad at comparing similar ratios. Labels are required then.


When there's no dominant item,

BAD




Pie charts are bad at comparing similar ratios. Labels are required then.

GOOD



Bar charts are better at comparing similar ratios (i.e. side-by-side comparison is the best)

Comparing multiple sets of ratios



Comparing multiple sets of ratios



BAD


Pie charts are bad at comparing multiple sets of ratios because 'angle' is hard to compare.

Comparing multiple sets of ratios

BAD



GOOD



21.5% 37.4% 20.3%

Birmingham

23.2%

Manchester

Pie charts are bad at comparing multiple sets of ratios because 'angle' is hard to compare. **Stacked bar charts** are good at comparing multiple sets of ratios. 'Length' is a good encoding to compare values.

If Pie charts have only bad things, why do people use it a lot?

There could be historical, aesthetic, and other reasons. My favorite explanation is that "*Pie charts are applicable to part-to-whole relationship only*". That means, even before reading text, readers would correctly guess the meaning of pie charts. In contrast, bar charts are effective for a wide range of data and questions – which means viewers have to read title, legends, and other textual information to interpret.

(optional reading) Why human love pie charts

What is Likert scale?

- Commonly used in survey or user study; Captures the feeling of intensity for a given item
- Is Likert scale an ordinal or interval measure? Still lots of debates!

To what extent do you agree with the following statement? "I will vote for the policy A"

Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree
1	2	3	4	5

1. Amieson, Susan (2004). "Likert Scales: How to (Ab)use Them". Medical Education. 38 (12): 1217–1218.

2. Norman, Geoff (2010). "Likert scales, levels of measurement and the "laws" of statistics". Advances in Health Science Education. 15 (5): 625–632.

What is Likert scale?

- Commonly used in survey or user study; Captures the feeling of intensity for a given item
- Is Likert scale an ordinal or interval measure? Still lots of debates!

Likert is Ordinal 😕

"Participants tend to avoid extreme responses. Thus the categories are not equally distributed."

"In many situations, participants have motivations to lean toward positive / negative responses." To what extent do you agree with the following statement? *"I will vote for the policy A"*

Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree
1	2	3	4	5

% of 'yes' votes per category



Likert is Interval ©

"A well-designed question (i.e. having a clear neutral position, symmetrical and equidistant categories) can **approximate an interval measurement**, with large N"

1. Amieson, Susan (2004). "Likert Scales: How to (Ab)use Them". Medical Education. 38 (12): 1217–1218.

2. Norman, Geoff (2010). "Likert scales, levels of measurement and the "laws" of statistics". Advances in Health Science Education. 15 (5): 625–632.

What is Likert scale?

- Commonly used in survey or user study; Captures the feeling of intensity for a given item
- Is Likert scale an ordinal or interval measure? Still lots of debates!

Likert is Ordinal 😕

"Participants tend to avoid extreme responses. Thus the categories are not equally distributed."

"In many situations, participants have motivations to lean toward positive / negative responses." To what extent do you agree with the following statement? *"I will vote for the policy A"*

Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree
1	2	3	4	5

% of 'yes' votes per category



Likert is Interval ©

"A well-designed question (i.e. having a clear neutral position, symmetrical and equidistant categories) can **approximate an interval measurement**, with large N"

"The legitimacy of assuming an interval scale for Likert- type categories is an important issue, because the appropriate descriptive and inferential statistics differ for ordinal and interval variables."

Amieson, Susan (2004). "Likert Scales: How to (Ab)use Them". Medical Education. 38 (12): 1217–1218.
 Norman, Geoff (2010). "Likert scales, levels of measurement and the "laws" of statistics". Advances in Health Science Education. 15 (5): 625–632.

What is Likert scale?

- Commonly used in survey or user study; Captures the feeling of intensity for a given item
- Is Likert scale an ordinal or interval measure? Still lots of debates!

Likert is Ordinal 😕

"Participants tend to avoid extreme responses. Thus the categories are not equally distributed."

"In many situations, participants have motivations to lean toward positive / negative responses." To what extent do you agree with the following statement? *"I will vote for the policy A"*

Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree
1	2	3	4	5

% of 'yes' votes per category



Likert is Interval ©

"A well-designed question (i.e. having a clear neutral position, symmetrical and equidistant categories) can **approximate an interval measurement**, with large N"

Take-away messages:

- \checkmark Due to many potential biases, it's safe to treat them as ordinals.
- ✓ If you need interval values, carefully frame the question and categories so that they are symmetrical and equidistant.

Q. How would you rate the quality of the sessions and activities?

Responses

	Poor	Fair	Neutral	Very Good	Excellent
Session 1	2	1	4	5	8
Session 2	5	4	4	4	3
Session 3	0	0	5	6	9
Session 4	0	1	2	9	8
Session 5	0	2	6	7	5
Activities	1	1	5	5	8

DISPLAY 1 - SMALL-MULTIPLE PIE CHARTS


 SESSION 1
 SESSION 2
 SESSION 3

 40%
 20%
 20%
 40%
 40%
 40%
 40%
 40%
 40%
 40%
 40%
 40%
 40%
 40%
 40%
 40%
 40%
 40%
 40%
 40%
 40%
 40%
 40%
 40%
 40%
 40%
 40%
 40%
 40%
 40%
 40%
 40%
 25%
 40%
 25%
 40%
 25%
 40%
 25%
 40%
 25%
 40%
 25%
 40%
 25%
 40%
 25%
 40%
 25%
 40%
 25%
 40%
 25%
 40%
 25%
 40%
 25%
 40%
 25%
 40%
 25%
 40%
 25%
 40%
 25%
 40%
 25%
 40%
 25%
 40%
 25%
 40%
 25%
 40%
 25%
 40%
 25%
 40%
 25%
 40%
 25%
 40%
 25%
 40%
 25%
 40%
 25%
 40%
 25%
 40%
 25%
 40%

 Pie charts are bad at comparing multiple sets of ratios because 'angle' is hard to compare. Making it even worse, pies are cyclic ('Poor' and 'Excellent' are placed right next to each other)
 No significant benefits of using pie charts Learn from good and bad practices


How to visualize survey results on Likert scale

How to visualize Likert values as Ordinal



Brouped bar charts cannot represent categories
 with zero responses. Hard to compare between groups
 Easy to interpret distribution within a group

DISPLAY 3 - SMALL-MULTIPLE BAR CHARTS




8 Bar charts are very generic. Viewers have to interpret the meaning ("this is Part-to-Whole information of a Likert scale") from text.

© Both between-group and within-group comparisons are well supported

Learn from good and bad practices

How to visualize survey results on Likert scale

How to visualize Likert values as Ordinal



DISPLAY 4 - SMALL-MULTIPLE WAFFLE CHARTS


Very Fancy. Each waffle is clearly part-to-whole information. (a perfect alternative of pie charts?!)
Within-group or Between-group comparisons are not as easy as with bar charts; Empty categories are skipped (same with the group bar charts)

DISPLAY 5 - LARGE NUMBER AND TEXT SESSION 1 SESSION 2 SESSION 3 75% of participants rated the session as of participants rated the session as of participants rated the session as either very good or excellent. either fair or poor. either very good or excellent. **SESSION 4** SESSION 5 ACTIVITIES 60% of participants rated the session as of participants rated the session as of participants rated the session as either very good or excellent. either very good or excellent. either very good or excellent. Communicate specific insights with minimal cost;

Useful as a summary of other charts
Subjective; Huge information loss; Not allowing viewers to find their own insights

How to visualize Likert values as Ordinal

DISPLAY 6 - STACKED BAR CHART



© Efficient use of screen real-estate (i.e. can show many sessions in small space); Both between and within-group comparison are well-supported; Since bars have the same total height, it's clear that they show part-to-whole information; Category ordering is maintained.

8 Empty categories are skipped; There are two baselines for positive and negative categories (i.e. hard to compare).


Learn from good and bad practices

How to visualize survey results on Likert scale

How to visualize Likert values as Ordinal




poor fair neutral v. good exceller




© Aligning bars at the common baseline between neutral and v.good; Optimized for comparing positive / negative categories both within and between-groups

8 Almost perfect. But why not align at the center of neutral?



Summary

- There is no silver-bullet chart. Each chart design has pros and cons.
- Bar chart variations are very versatile
 - Grouped, Stacked, and Aligned bar charts can cover most analytic tasks
 - "Being widely used" makes bar charts hard to guess its meaning (as opposite to pie charts).
- Use multiple charts in combination for products or storytelling
 - E.g. coordinated charts; dashboard; data story; infographics, etc



DS363: Design and Learning with Data

Spring 2023


Interaction

Wan Fang

Southern University of Science and Technology

[Adapted from Kai Wong's article on Design for information exploration]

What makes a good visualization?



"A good graphic has two basic goals: It presents information and then allows users to explore that information."


DIKW and the User side gap

- DIKW information model
- To jump from Information to Knowledge requires an understanding of how your user understands or finds patterns in the data.
- <u>How data goes from the</u> <u>designer to the user?</u>



https://en.wikipedia.org/wiki/DIKW_pyramid

The Cycle of Encoding and Decoding






Designers encode, users decode

- Without standardized specifications, we're relying on our diverse audience to decode the data in their minds.
- How do we design visualizations that can be easily decoded?



Ben Shneiderman's informationseeking mantra



The initial view of a **dashboard** provides the data overview

Data journalism article begins with an overview that introduces the topic and the dataset

http://graphics.wsj.com/job-market-tracker/

The initial view of **an AI-supported visualization tool** (voyager) begins 1D charts per columns (i.e. **univariate** analysis)

Ben Shneiderman's informationseeking mantra

1. Overview first


2. Zoom and Filter


3. Detail-on-demand



Brushing & Linking

Multiple charts in a dashboard are connected with each other. Brushing (i.e. selecting items) in one chart filter the same items in other charts.






Filtering UI

Data journalism articles often provide filtering UI for readers to find an interesting part of the dataset, and go deeper.

2D, 3D, and higher-dimension charts

After finding interesting columns, analysts would combine them to narrow down the scope and to find more specific insights (i.e. **multi-variate** analysis)

Ben Shneiderman's informationseeking mantra




Ben Shneiderman's informationseeking mantra

1. Overview first

2. Zoom and Filter

3. Detail-on-demand





Mouse-over Tooltip

Most EDA tools allow viewers to see raw data of individual items as tool-tip

Data table filtered by user selection

Most EDA tools offer data tables that shows raw data of currently selected items

Basic Selection Methods

- Point Selection
 - Mouse Hover / Click
 - Touch / Tap
 - Select Nearby Element (e.g., Bubble Cursor)
- Region Selection
 - Rubber-band (rectangular) or Lasso (freehand)
 - Area cursors ("brushes")
- Brushing & Linking
 - Select ("brush") a subset of data; See selected data in other views

Dynamic Queries

• Textual Queries

SELECT house FROM seattle	e_hor	nes				
VHERE price < 1,000,000 A	ND b	edro	om	ns > 2		
ORDER BY price	Dynamic Browser : DC Home Finder					
	IdNumber	Dwelling	Addr	255	City	
	2	House	5256	S. Capitol St.	Beltsville,	MD
	4	House	5536	S. Lincoln St.	Beltsville,	MD
		House	5165	Jones Street	Beltsville,	MD
	8	House		Jones Street	Beltsville,	
	9	House		Jones Street	Beltsville,	
	17	House	5408	S. Capitol St.	Beltsville,	MD

• Direct Manipulation 选择区域 ~ 二室 ~ 地铁 ~ 而积



 \sim



3D Dynamic Queries

MachineBuilder 📄 MachineLogic 🛆 MachineClour							Fa 😌
Modular Assem Y D Bu & C Read only	Instructor On Off Annotations	Imm ▼ C C Imm ▼ jūj irj Units Modify	िर्मि ि रेख्थ	Int to point Check onnection connections Part connection Connection	Request Automated design review design check Design validation	Assembly Instructions Assemble	? 🛱 🗘 🕰
						لی	Total: \$4,797.79 (USD) ^① へ
						J9 11	:57 Hrs 🛆 144.5 kg Checkout
			PAIL A				Download PDF Quote
	H						Assembly Drawings
	A						
			7	1			
				1			
				1			
			71	34			
				N			
Trease	-	,					





Summary of Interactivity


- Most visualizations are interactive
 - Even passive media elicit interactions
- Good visualizations are task dependent
 - Pick the right interaction technique
 - Consider the semantics of the data domain
- Taxonomy of Interactions
 - Data and View Specification: Filtering, Sorting
 - View Manipulation: Select, Navigate, Brushing & Linking, Dynamic Queries
 - Process and Provenance: Record, Annotate, Share, Guide


Assignment 2 on Interactive Visualization

- Submit before Tue Apr 25 @ 16:20 | Present on Tue Apr 25 in-class
- Tasks
 - Find at least three interactive visualization of the same or similar data sample
 - Analyze, compare, and explain how they visualized the data story
 - Build a visualization that enables interactive exploration of a dataset of your own choosing
 - Present and explain the tool/graph you've used and how you visualized it
- Notes
 - Goals: gain hands-on implementation experience, & think about the effectiveness of the specific techniques for your chosen data
 - Yes, you can choose the same data sample as Assignment 1, or another one, but please note that this time we focus on the interactive visualization techniques

Course Introduction

Double Diamond for Data Analytics





DS363: Design and Learning with Data

https://ds363.ancorasir.com/

Thank you~

Spring 2023

Wan Fang Southern University of Science and Technology